International Journal of Cardiology, 27 (1990) 403–406
Elsevier

Contents Volume 27

Number 1

REVIEW

The investigation and diagnosis of tricuspid atresia, *M.L. Rigby, J.S. Carvalho, R.H. Anderson and A. Redington (U.K.)* 1

ORIGINAL STUDIES

CARDIOLOGY IN THE YOUNG

Doppler evaluation of superior caval venous pathways after Mustard and Senning operations, *J.M. Parsons, S.A. Qureshi, E.J. Ladusans, R. Anjos, E.J. Baker, A.K. Yates, P.B. Deverall and M. Tynan (U.K.)* 19

Successful treatment of chaotic atrial tachycardia with oral flecainide, *L. Houyel, A. Fournier and A. Davignon (Canada)* 27

Origin of left coronary artery from right pulmonary artery co-existing with coarctation of the aorta, *S.E. Levin, R. Dansky and R.H. Kinsley (South Africa)* 31

CLINICAL CARDIOLOGY

Cardiac metabolic effects of heparin differentiate between patients with normal and stenotic coronary arteries, *A. Thomassen, T.T. Nielsen, J.P. Bagger and P. Henningsen (Denmark)* 37

Intra-cellular electrolyte changes and levels of endogenous digoxin-like substance within the plasma in patients with congestive heart failure, *Z.-q. Liu, A.-q. Ma, L. Zhang and D.-y. Yang (P.R. China)* 47

Electrocardiographic abnormalities and left ventricular systolic function in Chagas' heart disease, *J. Casado, D.F. Davila, J.H. Donis, A. Torres, A. Payares, R. Colmenares and C.F. Gottberg (Venezuela)* 55

Propafenone in the prevention of non-ventricular arrhythmias associated with the Wolff-Parkinson-White syndrome, *I. Vassiliadis, P. Papoutsakis, I. Kallikazaros and C. Stefanadis (Greece)* 63

Silent versus symptomatic myocardial ischemia during exercise testing: a comparison with coronary angiographic findings, *F.C. Visser, F.T. Van Leeuwen, B. Cernohorsky, M.J. Van Eenige and J.P. Roos (The Netherlands)* 71

ELECTROPHYSIOLOGY

Selective effects of tocainide in canine acute myocardial infarction, *S. Hiromasa, Z.-Y. Li, H. Coto, C. Maldonado and J. Kupersmith (U.S.A.)* 79

Strontium induces oscillatory potentials in sheep cardiac Purkinje fibers, *M.D. Gonzalez and M. Vassalle (U.S.A.)* 87

IMAGING

Quantification of aortic regurgitation using continuous and pulsed wave Doppler echocardiography, *M. Pye, A.P. Rae, I. Hutton and S.M. Cobbe (U.K.)* 101

Abnormalities of left ventricular shape in patients with stable angina, *F. Fantini, G. Barletta, M.R. Voegelin, A. Fantini, M. Maioli and M. Di Donato (Italy)* 107

BRIEF REPORTS

Mitral atresia with double outlet right ventricle in an asymptomatic adult, *J.C. Mohan, R.K. Jain and R. Arora (India)* 117

Double orifice tricuspid valve with left atrioventricular valve atresia and univentricular connexion to a dominant left ventricle, *A. Cabrera, J. Pilar and E. Pastor (Spain)* 120

Coxsackie B4 viral myocarditis causing ventricular aneurysm, *J. Goudevenos, G. Parry and R.G. Gold (U.K.)* 122

Left atrial myxoma: excision guided by transesophageal cross-sectional echocardiography, *A. Milano, M. Dan and U. Bortolotti (Italy)* 125

Expression of genes encoding two chains of the collagen type VI molecule during human fetal heart development, *K. Duff, R. Williamson and S.-J. Richards (U.K.)* 128

Aneurysmal dilatation of right ventricular infundibulum and pulmonary trunk without left to right shunting, *J.C. Mohan, P. Jain and R. Arora (India)* 130

0167-5273/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Reopening of the arterial duct after balloon dilatation of native coarctation, *O. Galal, S.A. Qureshi and Z.A. Halees (Saudi Arabia)* 133
Correlation among radiologic, echocardiographic indices and self paced-exercise capacity in heart failure, *A.A. Ajayi, M.O. Balogun and A.T. Ajayi (Nigeria)* 135

BOOK REVIEWS

Interventional Cardiology, *by D.R. Holmes Jr. and R.E. Vlietstra, reviewed by A.D. Timmis* 139
Critical Care Cardiology, *edited by R.J. Henning and A.N.A. Grenvik, reviewed by T. Cripps* 139
Advances in Atrial Peptide Research, *edited by B.M. Brenner and J.H. Laragh, reviewed by M. Burch* 140
Synopsis of Cardiac Physical Diagnosis, *by J. Abrams, reviewed by J. Hogan* 140

Meetings and Courses 141
Information for Authors 143

Number 2

REVIEW

Endogenous opioid peptides and cardiac arrhythmias, *A.Y.-S. Lee (Taiwan)* 145

ORIGINAL STUDIES

CARDIAC CATHETERIZATION AND INVASIVE TECHNIQUES

Predictors of the rate of success of angioplasty of the left circumflex artery, *D. Katritsis and M.M. Webb-Peploe (U.K.)* 153

CARDIOLOGY IN THE YOUNG

Plasma atrial natriuretic peptide after the Fontan procedure and total cavopulmonary connexion, *M. Burch, E.A. Shinebourne, M.L. Rigby, N. Carter, S. Jeffery, P. Stanley and A. Smith (U.K.)* 161
Electrophysiological studies after the Mustard and Senning operations for complete transposition. Do they have prognostic value?, *M. Haemmerli, M. Bolens and B. Friedli (Switzerland)* 167
Down's syndrome: different distribution of congenital heart diseases between the sexes, *F.F. Pinto, L. Nunes, F. Ferraz and F. Sampayo (Portugal)* 175

CARDIOVASCULAR RESEARCH

Importance of myocardial ischemia for coronary collateral development in conscious dogs, *M. Fujita, S. Sasayama, A. Ohno, K. Yamanishi, E. Araie and D. Franklin (Japan, U.S.A.)* 179

CLINICAL CARDIOLOGY

A prospective angiographic study of the coronary collateral circulation in coronary arterial disease, *G. Vyssoulis, M. Kyriakidis, E. Karpanou, C. Kyriakidis, P. Sfikakis, J. Barbetseas and P. Toutouzas (Greece)* 187
The clinical features, management and outcome of persistence of the arterial duct presenting in adult life, *J.M. Morgan, H.H. Gray, G.A.H. Miller and P.J. Oldershaw (U.K.)* 193
Editorial Note, *M. Tynan (On behalf of all the collaborators in the European Study) (U.K.)* 201
Coronary-pulmonary fistula: long-term follow-up in operated and non-operated patients, *S.A.M. Said and G.H.M. Landman (The Netherlands)* 203
Monomorphic repetitive rhythms originating from the outflow tract in patients with minor forms of right ventricular cardiomyopathy, *B. Martini, A. Nava, G. Thiene, G. Buja, B. Canciani, G. Miraglia, R. Scognamiglio, L. Daliento and S.D. Volta (Italy)* 211
Vasoconstriction in patients after heart transplantation, *M. Petraško, I. Přerovský, J. Fabián and V. Kočandrle (Czechoslovakia)* 223

HYPERTENSION

Drug compliance in hypertensive Nigerians with and without heart failure, *J.O.B. Olubodun, A.O. Falase and T.O. Cole (Nigeria)* 229

IMAGING

Additional prognostic value of exercise testing and thallium-201 scintigraphy in catheterized patients without previous myocardial infarction, *J.A. Melin, A. Robert, R. Luwaert, C. Beckers and J.-M. Detry (Belgium)* 235
An echocardiographic assessment of asymptomatic elderly women with radiological cardiac enlargement, *J. Woo, M. Milne and I. Crozier (Hong Kong)* 245
Double outlet right ventricle with discordant atrioventricular connexion: an angiographic analysis of 19 cases, *S. Battistessa and B. Soto (U.S.A.)* 253
Editorial Note: Double outlet right ventricle, *M.L. Rigby (U.K.)* 265

BRIEF REPORTS

Resolution of right atrial thrombus following anticoagulation, *S. Kushwaha and E.M. Jepson (U.K.)* 269

Symptomatic bradycardia complicating the use of intravenous dipyridamole for thallium-201 myocardial perfusion imaging, *D.J. Pennell, S.R. Underwood and P.J. Ell (U.K.)* 272

Human equivalent doses of platelet inhibitors and experimental atherosclerosis, *S.R. Mittal, A.K. Mathur and R. Tandon (India)* 275

Isomerism of the left atrial appendage and left lung in conjoined twins, *S.Y. Ho, C. Frescura and G. Thiene (U.K., Italy)* 277

Myocardial infarction and biventricular free-wall rupture with shunting through a false aneurysm, *V.E. Paul, D.P. Shetty and A.D. Timmis (U.K.)* 280

Magnesium sulphate for torsade de pointes in a patient with congenital long QT syndrome, *J.C. García-Rubira, V.L. García-Aranda and J.M.C. Fernández (Spain)* 282

Letters to the Editor 285

BOOK REVIEWS

Natural History of Coronary Atherosclerosis, *by C. Velican and D. Velican, reviewed by G. Thiene* 287

Heart-Lung Interactions in Health and Disease, *edited by S.M. Scharf and S.S. Cassidy, reviewed by A. Bush* 287

Silent Myocardial Ischaemia and Infarction, *by P.F. Cohn, reviewed by D. Mulcary* 288

Meetings and Courses 289

Information and Authors 291

Number 3

REVIEW

The Wolff-Parkinson-White syndrome in childhood, *T.G. Losekoot and W.L.J. Lubbers (The Netherlands)* 293

ORIGINAL STUDIES

CARDIOLOGY IN THE YOUNG

It is valid to dilate native aortic coarctation with a balloon catheter, *V.F. Fontes, C.A. Esteves, S.L.M. Braga, M.V. D. da Silva, M.A.P. E Silva, J.E.M.R. Sousa and J.A. Malta de Souza (Brazil)* 311

Editorial Note: Balloon dilatation of native aortic coarctation, *A.N. Redington (U.K.)* 317

CARDIOVASCULAR RESEARCH

Isolated rat cardiomyocytes as an experimental model for studying acute cardiotoxicity of cyclosporin A, *H.G. Olbrich, S. Dols, L. Ver Donck, G. Kober, M. Kaltenbach and E. Mutschler (F.R.G., Belgium)* 319

CARDIOVASCULAR SURGERY

Cardiogastric fistula occurring 9 years after resection of left ventricular aneurysm, *J.P. Grande, P.A. Pellikka, W.D. Edwards and F.J. Puga (U.S.A.)* 327

Prevalence and prognostic significance of complex ventricular arrhythmias after coronary arterial bypass graft surgery, *H.V. Huikuri, S. Yli-Mäyry, U.R. Korhonen, K.E.J. Airaksinen, M.J. Ikäheimo, M.K. Linnaluoto and J.T. Takkunen (Finland)* 333

CLINICAL CARDIOLOGY

Hemodynamic evaluation of common cardiac arrhythmias, *A. Zilberman and S. Rogel (Israel)* 341

Sublingual administration of captopril versus nitroglycerin in patients with severe congestive heart failure, *M. Haude, W. Steffen, R. Erbel and J. Meyer (F.R.G.)* 351

Significance of blood taurine levels in patients with first time acute ischaemic cardiac pain, *S.K. Bhatnagar, J.D. Welty and A.R. Al Yusuf (Kuwait)* 361

Cardiac abnormalities in systemic lupus erythematosus: a prospective M-mode, cross-sectional and Doppler echocardiographic study, *W.-H. Leung, K.-L. Wong, C.-P. Lau, C.-K. Wong and C.-H. Cheng (Hong Kong)* 367

BRIEF REPORTS

Myocarditis in adult Still's disease, *R.N. Sachs, O. Talvard and J. Lanfranchi (France)* 377

Isomerism of the left atrial appendages associated with absence of the spleen, *G. Pelosi and S. Guanella (Italy)* 380

Right-sided endomyocardial fibrosis: an unusual morphological type, *P. Chopra and T.H. Dave (India)* 383

Common arterial trunk associated with absence of right atrioventricular connexion, *T.C.P. Diógenes, E. Atik and V.D. Aiello (Brazil)* 385

Supraventricular tachycardia and aberration of the cardiac conduction system, *S.Y. Ho, K. Karczenski and D.W.A. Milligan (U.K.)* 388

Increased activity of circulating polymorphonuclear leukocytes in acute myocardial infarction, *M. Radomski, K. Herbaczyńska-Cedro and L. Ceremużyński (Poland)* 391

BOOK REVIEWS

A Colour Atlas of Physical Signs in Cardiovascular Disease, *by L.M. Shapiro and K.M. Fox, reviewed by J. Dean* 395

New Concepts in Viral Heart Disease. Virology, Immunology and Clinical Management, *edited by H.P. Schultheiss, reviewed by C.J.F. Spry* 395

Heart Disease in Paediatrics, *by S.C. Jordan and O. Scott, reviewed by R.H. Anderson* 396

Atlas of Congenital Cardiac Surgery, *by P.A. Ebert, reviewed by R.H. Anderson* 396

Congenital Heart Disease – Diagnosis and Management in Children and Adults, *by R.R. Liberthson, reviewed by R.H. Anderson* 397

Meetings and Courses 399

Information for Authors 401

Contents Volume 27 403

Subject Index Volume 27 407

Author Index Volume 27 415